

activation

sedus


Storage unit programme

A close-up photograph of a storage unit's front panel. The panel features horizontal slats in a light blue-grey color. A small, circular lock or indicator is visible on the lower left side of the panel. The background is a dark, solid color, possibly the interior of the unit or a shadowed area.



Working wonders with space.





You can never tell exactly when the time will come for a company to expand. No point, either. At least when it comes to storage space. Because with activation you have a system that tunes itself seamlessly to your company's evolution. In other words: More files, more storage space.

And ideas grow in line with your needs.





Storage all-rounders.



Combination
Height: 2248 mm (6 OH)
Width: 3000 mm



Combination
Height: 1873 mm (3 OH + 2 OH)
Width: 2800 mm



Combination
Height: 1498 mm (2 OH + 2 OH)
Width: 3000 mm



Storage space for decision-making.



Fruitful decision-making requires a sophisticated organisation system with pull-out filing frames to ensure that all the help you need is immediately at hand. After you!



Round knob, optionally with integrated locking system (changeable cylinder and reversible key)



Hinge opens to an angle of 120°



Wide angle hinge opens to an angle of 210° with optimal functionality



Steel shelf on metal supports providing maximum stability



Modifiable steel shelf with book supports and dividers



Steel shelf with pull-out filing shelf



Steel shelf with pull-out wardrobe rail



Modifiable steel drawer and pull-out telescopic filing frame



Pigeon holes with pull-out trays



Steel plinth with integrated glide; optionally without plinth cover




Filing units with D-handles, integrated locking system and anti-tilt mechanism




Tambour door units with hand grip and lock

Without plinth: Shelf units, wing door units, sliding door units, tambour door units

2 OH
725 mm



3 OH
1100 mm




With plinth: Shelf units, wing door units, sliding door units, combination units, filing units, tambour door units


2 OH
773 mm



3 OH
1148 mm




4 OH
1498 mm



5 OH
1873 mm



6 OH
2248 mm



Widths:

400	1000	400	800	800	800	800	800	800	800
500	1200	600	1000	1000	1000	1000	1000	1000	1000
600			1200						
800									
1000									
1200									

So high, so wide, so deep, so broad, so good.



OH = binder height



Credenzas, height 720 mm




800
1000
1200
1600

800
1000
1200
1600





800
1000
1200
1400
1600


Locker units



1000
1200



800
1000
1200



800

Melamine



203 Maple



103 Beech




05 Wild cherry




205 Oak



26 black ash



A14 pure white



02 arctic white



232 white aluminium

Multiplex-optic edge for tops



11 Beech




13 grey

Tambour doors



02 arctic white



231 dull white aluminium



16 anthracite

Plinth



232 white aluminium



09 anthracite metallic

D-handles



Model 3
Matt nickel



Model 10
White Aluminium



Model 11
Matt chrome



Export

Sedus Stoll AG
Brueckenstrasse 15
D-79761 Waldshut
Tel. +49 (77 51) 84-2 89
Fax +49 (77 51) 84-3 30
E-Mail export@sedus.com
Internet www.sedus.com

Austria

Sedus Stoll Ges.m.b.H.
Kirchenstrasse 37/1/13
A-5301 Eugendorf
Tel. +43 (6225) 21 054-0
Fax +43 (6225) 21 056
E-mail sedus.at@sedus.at
Internet www.sedus.at

Belgium

Sedus Stoll b.v.b.a./s.p.r.l.
Korte Masmensesteenweg 58/7
B-9230 Wetteren
Tel. +32 9 369 96 14
Fax +32 9 368 19 82
E-Mail sedus.be@sedus.com
Internet www.sedus.be

France

Sedus
2, rue de la Baume
F-75008 Paris
Tel. +33 1 53 77 20 50
Fax +33 1 53 77 20 51
E-Mail commercial@sedus.fr
Internet www.sedus.fr

Great Britain

Sedus Stoll Ltd.
157A St John Street, Clerkenwell
London EC1V 4DU
Tel. +44 20 7566 3990
Fax +44 20 7566 3999
E-Mail sedus.uk@sedus.co.uk
Internet www.sedus.co.uk

Italy

Sedus Stoll S.r.l.
Via Giotto, 20/22
I-22075 Lurate Caccivio (CO)
Tel. +39 031.494.111
Fax +39 031.494.140
E-Mail sedus.it@sedus.com
Internet www.sedus.it

Netherlands

Sedus Stoll B.V.
Rhijnspoor 239
NL-2901 LB Capelle aan den IJssel
Tel. +31 10 521 41 88
Fax +31 10 521 31 89
E-Mail sedus.nl@sedus.com
Internet www.sedus.com

Spain

Sedus Stoll, S. A.
C./Pintor Juan Gris N° 5, 1° C
E-28020 Madrid
Tel. +34 91/597 01 76
Fax +34 91/597 22 65
E-Mail sedus.es@sedus.com
Internet www.sedus.es

Switzerland

Sedus Stoll AG
Industriestrasse West 24
CH-4613 Rickenbach
Tel. +41 62/216 41 14
Fax +41 62/216 38 28
E-Mail sedus.ch@sedus.ch
Internet www.sedus.ch